

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**




Fig. 1




Fig. 2




Fig. 3

PI-turnover in neonatal rat cardiomyocytes




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8

9/15




Fig. 9

10/15

Calcium waves in HOB




Fig. 10


Calcium waves in ROS after 48hr. in 3-6% O₂

Fig. 11

12/15

Cell coupling in ROS cells after 48 hours of hypoxia




Fig. 12




Fig. 13




Fig: 14

LY dye coupling in hOB after DDT ($13\mu\text{M}$).
Effect of ZS42-0123 (10^{-8}M)




Fig. 15